

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

LAW OFFICES
EGAN, HENDERSON,
RABOW, GARRETT,
DUNNER, L.L.P.
 1001 STREET, N. W.
 WASHINGTON, DC 20005
 202-408-4000

[illegible]

5

10

15

25

hyperlinks to other Web documents are emphasized in some fashion such that the user can select the hyperlink.

In some instances, the HTML document may contain data from more than one server. For example, remote text and images may be retrieved from remote servers and integrated into a Web document by a client system. One server may provide an image file, while another server may provide text information to the client system over a network such as the Internet. Different techniques are available to display these types of composite Web documents. For example, a program called a servlet executing on one of the servers may combine data from the various servers referenced in a selected Web document and transmit the composite Web document to the client. In other configurations, the client may utilize a program called an applet, which may be transmitted to the client from one of the servers, to access the multiple servers offering parts of the composite and to build the composite Web document.

Generally, users view the content delivered in the Web pages and may select hyperlinks to other sub pages of a Web site, or to entirely different Web sites. Providers associate the users "browsing" these Web pages as potential consumers for the products and services they provide. By simply providing a Web server having information on a providers' product and service offerings and a customer database, and linking the Web server to the Web, providers may track user interactions with the Web server including visits, sales, buying trends and product/service preferences—all at the user level. Providers may then present or offer its customers with products and services they are most likely to buy—on an individual basis. For this reason alone most marketing professionals consider the Web to be one of the best direct marketing tools. In order to gain new, or retain existing, customers, providers need to ensure they present products and services that potential consumers are interested in. Accordingly, the importance of target advertising and target content provision has become an important role in the way providers conduct business over the Internet.

One conventional technique associated with target advertising is the use of advertising banners presented on existing Web pages generated by providers. When a user accesses a Web page associated with a provider, using a Web browser such as Netscape Navigator or Microsoft Internet Explorer, a banner advertising the

002160-5649960

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

provider's products or services appears on the Web page. This banner may be presented by the Web page's provider, or may be provided by a third party advertisement server. When an interested user selects the advertisement (by "clicking through" on the banner) the user is generally forwarded to another Web page or site associated with the advertisement. This page or site may be the third party advertiser's home page. The success of the advertisement is based upon the user's response, in this case, the user "clicking through" the advertisement or banner, to receive more information on the content advertised.

Conventional implementations of target advertising attempt to present appropriate information, or advertisements, to selected users, such that the probability of that user being interested in the advertisement increases. These implementations monitor and collect limited user response information, along with information associated with the advertisement presented to the users. The user response information generally includes user identification data such as, user ID, domain type, location, employer information and other general information associated with the user. The advertisement information generally includes the particular advertisement presented, the number of times the advertisement was presented, the advertisements selected by a user, and the Web pages on which these advertisements were presented. User profiles may be created that associate user interests based on the types of advertisements and Web pages the users view. The collected information is analyzed to associate a success value with a particular advertisement based on the user information and the advertisement data. For example, a successful advertisement may be declared if the advertisement produced a sufficient number of "click throughs" from a plurality of users.

However, in the event an advertisement is not declared successful, new advertisements or banners may be presented to selected users, based upon their profile. For example, users interested in athletics or sports, based on their profile, may be targeted with advertisements associated with athletic apparel, while users interested in music may be presented with advertisements associated with available concert tickets or audio CDs.

Advertisements are adjusted by replacing the presented advertisement with

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

never seen by a user browsing a rendered Web page that includes the banner. This may occur when the banners are located in positions on a Web page that rarely get viewed by users, such as the "bottom" half of a Web page. Users may leave a Web page without ever viewing the banner provided by an advertisement server, while the Web server serving the Web page may still charge the advertisement server for a banner being displayed on a rendered Web page.

Accordingly, although conventional on-line target advertising and content provision techniques allow adjustments to be made on downloaded documents in order to target selected users, they lack the ability to monitor and collect detailed user response data associated with content that is actually visible to the users when browsing the downloaded documents. Furthermore, although conventional on-line advertising techniques enable providers to advertise their products and services on third party Web sites, they lack the ability to efficiently perform detailed billing based on whether an advertisement was actually in-view when a Web site including the advertisement is rendered.

SUMMARY OF THE INVENTION

It is therefore desirable to have a method and system for monitoring and collecting detailed user in-view response data at client sites and passing the collected user response data to a Web server for marketing and billing analysis.

Methods, systems and articles of manufacture consistent with the present invention collect detailed user activity information while the users are accessing Web sites, and automatically adjust the content presented in the Web site to target selected users. The changes to the content can be very drastic, such as the entire site being completely adjusted, or very minute, such as the replacement of font in selected areas of the site.

In accordance with an embodiment of the invention, a Web server presents a Web page including content to a plurality of users, via a browser executing at each users' client site. While the users view the page, detailed activities performed by each user, such as "click-throughs", screen scrolling, and mouse movements are collected in a client side data store using client side scripting, applets or similar means. After

an event occurs, such as the client side data store fills up, a new URL is selected, the browser is closed, or a new Web page is selected, the collected activity data is sent back to the Web server where its is stored in a server side data store. A program executed by the Web server retrieves the collected response data from the data store and performs market analysis and produces results that reflect the success of the content presented on the Web page displayed to the users. These results are used by a second program executing on the Web server to update the content presented to the user, on a "real-time" and automatic basis. A third program performs a billing analysis on the results from the first program to determine whether the content was actually in-view to the users browsing the Web page that included the content. Results of the billing analysis are subsequently sent to a third party entity for processing.

Accordingly, the Web server can present targeted content to a user, or a group of users, based on rules associated with the users' profiles. The content can be dynamically adjusted, based on the rules, to present entirely different content or subtle differences, that may appeal to the users. Detailed user responses associated with the new content are monitored, and subsequent changes can be made by following the same process. Thus, the Web server performs closed loop "hands-free" market analysis on the effectiveness of rendered Web pages and allow the pages to be automatically altered for future testing and analysis.

Furthermore, the Web server may perform detailed billing analysis associated with the content such that third party entities may be billed for provided content on a more economical basis.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing summary and the following detailed description should not restrict the scope of the claimed invention. Both provide examples and explanations to enable others to practice the invention. The accompanying drawings, which form part of the description of the invention, show several embodiments of the invention, and together with the description, explain the principles of the invention.

Accompanying drawings:

Figure 1 is an exemplary block diagram of a Web-based network, in accordance with methods and systems consistent with the invention;

Figure 2 is an exemplary flow chart of the steps performed by the Web-based network, in accordance with methods and systems consistent with the invention;

Figure 3 is an exemplary flow chart of the steps performed by the presentation step shown in Figure 2, in accordance with methods and systems consistent with the invention;

Figures 4A-4F are examples of various types of content that can be rendered on a Web page, in accordance with methods and systems consistent with the invention;

Figures 4G-4J show the Web page displayed in Figure 4c, after predefined rules are applied to alter the content, in accordance with methods and systems consistent with the invention;

Figure 5 is an exemplary flow chart of the steps performed by the data collection step shown in Figure 2, in accordance with methods and systems consistent with the invention;

Figure 6 is an exemplary flow chart of the steps performed by the analyze responses step shown in Figure 2, in accordance with methods and systems consistent with the invention;

Figure 7 is an exemplary flow chart of the steps performed by a Web server during third party entity set-up procedures, in accordance with methods and systems consistent with the invention;

Figure 8 is an exemplary flow chart of the steps performed by a Web server during a third party in-view analysis and billing operation, in accordance with methods and systems consistent with the invention; and

Figures 9A-9C are exemplary block diagrams of a computer display rendering a Web page, in accordance with methods and systems consistent with the invention.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

DETAILED DESCRIPTION

The following description of embodiments of this invention refers to the accompanying drawings. Where appropriate, the same reference numbers in different drawings refer to the same or similar elements.

5 In accordance with an embodiment of the invention, a network is configured such that users, located at respective client nodes equipped with browser software, request a Web page to be served to them from a Web server that resides on the Internet at a uniform resource locator. The Web server receives the requests and runs a predefined middleware program, which determines the marketing content to be placed
10 on the requested Web page. The Web server then serves the page to the clients.

Upon receiving the Web page, each client enables the users to browse the content displayed on the page. The users' behavior in response to the displayed page is monitored at each client node, by capturing events such as mouse movements, scrolling, resizing the browser window, URL selections and/or other similar user
15 initiated events. The captured events are sent back to the Web server in response to a detected client side trigger, and the captured event data is stored into a server side data store.

An analytical program, executing in the Web server, analyzes the collected user event data to determine the effectiveness of the content presented on the Web page. A
20 middleware program, executing in the Web server, determines the content to serve to the client nodes based on the analysis by the analytical program. When the Web server receives a subsequent request for the Web page, the Web server serves a modified Web page that includes modified content back to the client nodes as an updated Web page. The above described process is continuously repeated allowing the present invention to
25 perform automatic analysis on the content presented on Web pages, and dynamically adjust the content to target selected user groups, for the purposes of achieving marketing or advertising goals.

In an alternate embodiment of the invention, the detailed user monitoring and collection implementations performed by methods, systems and articles of manufacture consistent with the present invention may be applied to advertisement and content billing management. In accordance with such an alternate embodiment of the

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

invention, a network is configured such that users, located at respective client nodes equipped with browser software, request a Web page to be served to them from a Web server that resides on the Internet at a uniform resource locator. The Web server receives the requests and runs a predefined middleware program, which determines the marketing content to be placed on the requested Web page. The marketing content may be associated with third party entities that pay fees to the provider of the Web server to have selected content included in the Web page served by the Web server. The Web server then serves the Web page to the clients.

Upon receiving the Web page, each client includes software that enable the users to browse the content displayed on the page. The users' behavior in response to the displayed page is monitored at each client node, by capturing events such as mouse movement, scrolling, resizing the browser window, URL selections or other similar detailed user initiated events. The captured events are sent back to the Web server in response to a detected client side trigger, and the captured event data is stored into a server side data store.

An analytical program, executing in the Web server, analyzes the collected user event data to generate in-view characteristic result data associated with the user responses. In response to the result data, analytical program may update rules associated with selected content. A billing program, executing in the Web server, analyzes the in-view characteristic result data produced by the analytical program. Based on the determination, the billing program then generates billing records associated with content provided by third party entities and then sends the billing records to the appropriate third party entities. In addition to performing billing operations, the billing program may generate third party content effectiveness records indicating whether any changes to the third party content is needed, based on results produced by the analytical program. Billing program may send the effectiveness records to selected third party entities enrolled in an effectiveness service provided by the Web server, or the provider of the Web server, enabling the third party entities to obtain detailed marketing information related to the effectiveness of their third party content.

Figure 1 shows a block diagram of a network environment 100, in which the

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

may also include a flat file data store that flushes its stored data to a database for reliability and access time purposes. Furthermore, data store 120 may include a redundant database that ensure data is available in the event a primary storage element experiences a fault or error. A multitude of fault tolerant architectures may be implemented to ensure data consistency and availability.

Data store 130 connects to Web server 110, and stores content and associated rules (referred to as content rules) controlling how the content is to be rendered. As described for data store 120, a multitude of fault tolerant architectures may be implemented with data store 130 to ensure data consistency and availability. The content may include attributes associated with content renderings, such as document structure, wireless card structure, titles, headings, paragraphs, lines, lists, tables, links, graphics, objects, multimedia, scripts, forms, frames, colors, wording, size, positioning, background properties, border properties, font properties, text properties, or any combination thereof. The content may also include, but is not limited to, products and services such as wireless phones, credit cards, available financial solicitations (loans) or any other products and services that may be solicited using Web-based marketing or advertising techniques.

Content rules may include code that governs how the content is rendered on a Web page presented at the client nodes. These rules may control variations of the attributes associated with the content, such as the types of font, text, color, position, products, characteristics of associated multimedia files, various services available, or any other types of attributes associated with the content rendered. The rules may also control the frequency in which the variations of the attributes take place, such as rendering a particular font for 20% of the rendering time, or rendering a particular version of the content for 30% of the rendering time. As described above, a multitude of variations of rules and content can be processed by the Web server, and are not limited to the examples listed above.

Figure 2 is an exemplary flow chart of the steps performed by network 100 when performing dynamic Web-based content delivery, in accordance with methods consistent with the invention. The process begins when users located at client nodes request a Web page from a Web server 110 located on network 140, using well

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

known client side Web page accessing techniques. In response to the request, Web server 110 subsequently provides the requested page to the client nodes and browser software executing on each client node (Step S.200). A detailed description of an exemplary presentation process will be described below with reference to Figure 3.

5 Each user browses the Web page, and initiates user events by performing activities such as screen scrolling, mouse movements, page resizing, link selections, or any other similar user activity associated with page browsing. The user events are monitored, collected and stored in each respective client side data store 160 (Step S.210). In response to a client side trigger detected at each client node, the stored user events are subsequently returned to the Web server 110 and stored in data store 120. A detailed description of an exemplary data collection process will be described below with reference to Figure 5.

10 Analytical program 115 retrieves the stored user event data, and performs analysis (e.g. for marketing or advertising purposes) on the stored user event data in relation to the served content (Step S.220). Upon completion of the market analysis, analytical program 115 may edit the content and content rules stored in data store 130. A detailed description of an exemplary analysis process will be described below with reference to Figure 6.

15 Upon detection of a subsequent request for the Web page from any client node 150, middleware program 112 applies the content rules and content updated in data store 130, adjusts the content associated with the requested Web page, and Web server 110 serves the page, with the adjusted content, back to the client nodes 150 requesting the page. Requesting client nodes 150 receive the Web page with the adjusted content and presents the page to respective users via the browser software executing at each respective client node. (Step S.230). A detailed description of an exemplary update process will be described below with reference to Figure 3.

20 The process illustrated in Figure 2 may continue in a closed loop enabling Web server 110 to perform dynamic market analysis on rendered content and perform automatic content modifications to test the effectiveness of the modified content.

25 Figure 3 is a flow chart of the presentation process described in Figure 2. The process begins with the content to be rendered and the rules associated with the

002160 5610350

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

content being initialized (Step S.310).

The provider governing the Web server determines the types of content it wishes to market. The content may be, for example, versions of financial products, such as credit cards, offered from a financial institution. The different credit card versions may include, for example, various percentage rates, physical types of cards offered (images printed on the face of the credit card), and introductory offers associated with each card.

The content may also include various versions of the information associated with each credit card offered by the financial institution. Figures 4A-4C show Web page rendering examples of alternate versions of content representing credit card offers from a financial institution. Figure 4A shows a Web page 400 displayed at a client node 150 via browser software. Web page 400 includes a first version 410 that shows first data that can describe customized information concerning one type of credit card available from the provider. First version 420 shows another credit card offered by the provider as well, while version 425 shows marketing information for another type of credit card. Figure 4B illustrates a second version 430 positioned in the same location as first version 410. Second version 430 represents alternate content associated with the same credit card solicitation associated with first version 410. Figure 4C illustrates a third version 440 positioned in the same location as first version 410. Third version 440 represents alternate content associated with the same credit card solicitation associated with first and second versions 410, 430.

Figures 4D-4F show further examples of a Web page rendering examples of alternate versions of content representing actual products offered by a provider, in this case wireless phones. Figure 4D illustrates Web page 400 displaying first versions, 450, 460 and 470, of wireless phones that can be purchased by the user from the provider. Figure 4E shows version 480, which is an alternate rendering of version 450. Figure 4F shows version 490, which is an alternate rendering of versions 450 and 480.

Thus, as can be seen from the examples of Figures 4A-4F, the content selected by a provider may represent a plurality of types of content, wherein the content itself may represent alternate products or renderings of existing products or services offered by the provider.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

analytical program 115 has not been programmed, analysis system 170 downloads code representing analytical program rules associated with performing market analysis on user response data (Step S.330). In an alternate embodiment of the present invention, Step S.330 may be performed to determine whether analytical program 115
5 needs to be updated with new analytical program rules by analysis system 170.

Analysis system 170 may be an outside analysis entity, generally associated with a provider governing Web server 110. Analysis system 170 may perform detailed market and advertising analysis, and predication statistical analysis on the effectiveness and proposed effectiveness of content rendered in Web pages provided
10 by Web server 110. Analysis system 170 may also generate analytical program rules that enable analytical program 115 to automatically make decisions on the effectiveness of presented content, based on the collected user response data. For example, one type of analytical program rule may analyze the percentage of time a number of versions of a Web page that has been rendered by Web server 110, in
15 relation to a proportional "click-through" percentage for each particular version. Based on this analysis, the analytical program rule may adjust the rendering time for the version with the highest "click-through" rate. This example may be illustrated as follows:

20 Analytical Program Rule :

If version N's "click-through" rate increases by 10% for testing period X, proportionally adjust rendering time of version N by 25%.

Table 1: Content Version

25		Version 1	Version 2	Version 3
	Rendering Time %	33%	33%	33%
	Click Through %	Down 10%	Up 15%	No change

Analytical program 115 analyzes the above collected information, recognizes that Version 2 in Table 1 meets the criteria for the defined rule, and adjusts the

rendering time of Version 2 as shown below in Table 2.

Table 2: Content Version

	Version 1	Version 2	Version 3
Adjusted Rendering Time %	21%	58%	21%
Click Through %	Not collected	Not collected	Not collected

As described, Analysis system 170 may generate a wide range of analytical program rules based on a large number of conditions. That is, the analytical program rules downloaded to analytical program 115 are not limited to the above example, and may include rules that govern attributes other than rendering time such as content attributes (i.e. font, color, position, URL highlighting etc.).

Furthermore, analytical program rules may be include a combination of rules such that several content and Web page conditions are evaluated concurrently and multiple adjustments to the content may be executed. For example, in addition to the number of "click-throughs" being monitored and considered by the analytical program 115, the day of the week, or even the time of day, may also be considered. That is, user response data may indicate that a particular version is more popular on a weekend, or during selected hours of a day. Thus, a rule may include adjustments on rendering time based on not only "click-through" rate, but when the version is most popular. As described above, Version 2 may be rendered 58% of the time only on Saturdays, while version one is rendered 50% of the time on Mondays through Thursdays, from 6:00 P.M. to 10:00 P.M.

As can be seen, an endless number of combinations of user response data, and associated content adjustments may be incorporated into the analytical program rules executed by analytical program 115, and are not limited to the example described above.

Returning back to Figure 3, once the rules and content have been defined and analytical program has been programmed, the content and rules are stored in data store

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-406-4000

130 (Step S.320). In an alternate embodiment of the invention, step S.320 may be performed after the content and content rules are defined in step S.310.

When a request for a Web page is received by Web server 110, middleware program 112 executes an algorithm to determine what content needs to be built into the Web page before it is served to the client. In one embodiment of the invention, for an initial request for a Web page (i.e. a page that has never been rendered by Web server 110), middleware program 112 may first determine the type of user generating the request. This may be performed by retrieving user identification information associated with the user requesting the Web page, using techniques well known in the art, such as cookies, and checking the identification information against a user profile resource. This process allows the user, or a group of users, to be associated with particular social, economic, educational and commercial interests. The process of utilizing user or group profiles for classifying users for target marketing is well known in the art, and the present invention can implement any number of these techniques, as long as the required user information is retrieved and is available for processing.

Upon determining the type of user initially requesting the Web page, middleware program 112 accesses data store 130 to determine the associated content to be served to the user, via the Web page. Middleware program 112 uses the user's identification and profile information to select available content alternatives stored in data store 130. The rules associated with the content in data store 130 are appended with the selected content, such that the rendering of the content is subject to the restrictions defined by its assigned content rules. Middleware program 112 applies the rules (Step S.330), and builds the content into the requested Web page and inventories the content for future analysis. The updated Web page is then served to the client node 150 where the user requesting the page is located. Client node 150 executes its browser application to present the updated Web page to the user (Step S.340).

In the event a request is received for a Web page that has already been served by Web server 110, middleware program 112 selects adjusted content and content rules based on results from the analytical program 115. The need for individual user profiling may be replaced with user group profiling. This process is associated with the analytical program 115 analyzing user response data and modifying the content

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-406-4000

and content rules stored in data store 130. As described above, middleware program 112 applies the content rules to the content and renders an adjusted Web page that is also used for subsequent market analysis.

Figure 5 is an exemplary flow chart of the data collection process described in Figure 2. The process begins with the initialization of client side data store 160 (Step S.510). This step makes sure that each client side data store 160 is empty and can receive new information. The requested Web page provided to the client node 150 from the Web server 110, includes an algorithm implemented using client side scripting, applets or other similar processing techniques, for storing the content rendered (Step S.520) into the client side data store 160. The algorithm further is implemented to store the content rules applied to the content (Step S.530), as well as any other information pertinent to the identification of the type of data rendered at the client node 150.

Once the Web page is received and rendered at each client node 150, respective users "browse" the Web page, generating user activated events. These events may be associated with the user making link selections on the Web page to other pages, via URLs, mouse movements, screen scrolling, window resizing, or any other user initiated event. User behavior is monitored by capturing these events and storing them into client side data store 160 (Step S.540), using client side scripting, applets, or other similar processing techniques. For example, client side scripting languages such as JavaScript include commands that enable a program to recognize selected "events" performed by users. The client side script served to each client node by Web server 110, uses the client side script commands to collect detailed user response information. This process enables the present invention to recognize not only well known user events, such as "click-throughs", but whether selected content is actually in-view to the users. As the user generates the events, the client side data store 160 accumulates the event data dynamically.

The client side script may collect detailed event data by using commands well known in Web-based programming languages, such as Javascript and VBScript. For example, to detect a "mouseover" event, which is an event associated with detecting when a user's mouse pointer moves over a component of a Web page, client side Web-

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

target component 978 are partially in view.

The partial view of Web page 976 and component 978 is better illustrated in Figure 9B. Figure 9B includes display 970, Web browser window 974, and target component 978 as shown in Figure 9A. Additionally, Figure 9B includes a representation of an unseen portion 980 of Web page 976, and an unseen portion 982 of target component 978. Figure 9B also includes values W_{browser} , H_{browser} , Y_{P1} , Y_{P2} , Y_{C1} , Y_{C2} , X_{P1} , X_{P2} , X_{C1} , X_{C2} , $W_{\text{component}}$, and $H_{\text{component}}$, which will be described in further detail later. In order for the client side script to determine whether a component is in view to a user, detailed positional information is collected and stored in client side data store 160.

The in view collection process begins when selected events occur, initiated by the user viewing the Web browser application at client node 150. The selected events may include, but are not limited to, scrolling or resizing of the browser, and loading of a Web page. The Client side script recognizes these triggers and begins to collect in view characteristic data. Coordinate information based on the position of the windows in display 970 are needed to determine the in view status of a target component. As shown in Figure 9B the center axis for a coordinate grid associated with Web based displays is located at the upper left hand corner of display 970. The coordinates (X, Y) for the center axis represented is (0, 0). Quadrant IV of the (X,Y) graph represents the positive axis quadrant for the (X, Y) axis represented in Figure 9B. That is, the X axis runs in positive values of pixels from left to right, starting at the center axis, and the Y axis run in positive values of pixels from top to bottom, starting at the center axis.

Once a selected event occurs, the client side script executes commands to calculate the coordinates of the top of Web page 976 that is viewable in browser window 974, and is represented by coordinates Y_{P1} and X_{P1} .

Coordinates Y_{P1} and X_{P1} are represented in (X,Y) format as:

$$Y_{P1} = (Y_{PIX}, Y_{PIY})$$

$$X_{P1} = (X_{PIX}, X_{PIY})$$

For the exemplary illustration in Figure 9B, coordinate Y_{P1} is determined using

well known client side scripting commands. Coordinate X_{p1} is unknown because of the size of window 974 and Web page 976 are dynamic based on user activities. However, because of the characteristics of the X,Y graph superimposed on display 970, the following conditions are known:

(A) $Y_{p1X} = Y_{p2X}$

(B) $X_{p1X} = X_{p2X}$

(C) $Y_{p1Y} = X_{p1Y}$

(D) $Y_{p2Y} = X_{p2Y}$

Accordingly, coordinate X_{p1Y} is known because of condition (C).

As shown in Figure 9B, portion 982 of component 978 is not viewable in Web page 976. User activities such as resizing windows and scrolling affect the in view portion of Web page 976 and component 978. Accordingly, to determine what are the actual in view portions of Web page 976 and component 978, the client side script executes known Web-based programming language commands to collect the known current height H_{browser} and width W_{browser} of browser window 974.

Once this information is generated, the client side script may now find the true viewable bottom coordinates Y_{p2} and X_{p2} and missing coordinate X_{p1X} of coordinate X_{p1} of the viewable Web page in the viewable browser window 974.

Coordinates Y_{p2} and X_{p2} are represented in (X,Y) format as:

$Y_{p2} = (Y_{p2X}, Y_{p2Y})$

$X_{p2} = (X_{p2X}, X_{p2Y})$

Y_{p2} and X_{p1X} are generated by first performing a pair of functions that adds the current height of the browser window H_{browser} to the Y coordinate of coordinate Y_{p1} and adds the current width W_{browser} to the X coordinate of coordinate Y_{p1} , respectively.

This is represented by functions (1) and (2) below:

$$(1) \quad Y_{P2Y} = H_{\text{browser}} + Y_{P1Y}$$

$$(2) \quad X_{PIX} = W_{\text{browser}} + Y_{PIX}$$

Since the coordinates of Y_{P1} and X_{P1} and coordinate Y_{P2Y} are now known, the
5 rest of the coordinates for Y_{P2} and X_{P2} can be calculated using conditions (A), (B) and
(D).

Next, the client side script executes commands to calculate the coordinates of target component 978 within Web page 974. Coordinates Y_{C1} and X_{C1} represent the coordinates of the top of component 978.

10 Coordinates Y_{C1} and X_{C1} are represented in (X,Y) format as:

$$Y_{C1} = (Y_{C1X}, Y_{C1Y})$$

$$X_{C1} = (X_{C1X}, X_{C1Y})$$

15 Since the component was generated in the Web page at Web server 110, the position of component 978 in relation to Web page 976 may be determined during client side scripting known in the art. For example, if it is known that the component is 100 pixels down from the top edge of Web page 976 and 100 pixels from the left edge of Web page 976, the actual coordinates of Y_{C1} of component 978 in relation to browser window 974, which is in relation to display 970, may be calculated. as follows:

$$Y_{C1X} = Y_{P1X} + 100$$

$$Y_{C|Y} = Y_{P|Y} + 100$$

Since the design of the Web page is controlled by Web server 110, the dimensions of component 978, such as the height $H_{\text{component}}$ and width $W_{\text{component}}$ of component 978, may be determined using client side scripting known in the art. Once these values are determined, the bottom coordinates Y_{C2} and X_{C2} and coordinate X_{C1} of the target component in relation to browser window 974 may be calculated.

Coordinates Y_{C2} and X_{C2} are represented in (X,Y) format as:

$$Y_{C2} = (Y_{C2X}, Y_{C2Y})$$

$$X_{C2} = (X_{C2X}, X_{C2Y})$$

5 It should be noted that because of the characteristics of the X,Y graph superimposed on display 970, the following conditions are known:

$$(D) \quad Y_{C1X} = Y_{C2X}$$

$$(F) \quad X_{C1X} = X_{C2X}$$

$$10 \quad (G) \quad Y_{C1Y} = X_{C1Y}$$

$$(H) \quad Y_{C2Y} = X_{C2Y}$$

Using condition (G), X_{C1Y} is now known.

Y_{C2} and X_{C1X} may be calculated by performing functions (3) and (4) below:

$$15 \quad (3) \quad Y_{C2Y} = H_{\text{component}} + Y_{C1Y}$$

$$(4) \quad X_{C1X} = W_{\text{component}} + Y_{C1X}$$

20 Using conditions (D), (F) and (H), coordinates Y_{C2X} , X_{C2X} and X_{C2Y} are now known.

Now that all of the coordinates shown in Figure 9B are calculated, the coordinates of target component 978 are compared to the coordinates of the viewable Web page rendered in the browser window 974 to determine whether the target component is entirely positioned in browser window 974. This enables the client side script to determine whether the target component is in full view or not. This comparison process may be performed a variety of ways, including checking X and Y coordinates of both the Web page and component.

25 In one embodiment of the invention, to determine the Y bottom coordinate in view value of coordinate Y_{C2} of target component 978, client side script performs function (5):

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

$$(5) \quad Y_{C2 \text{ bottom in view value}} = Y_{C2Y} - Y_{P2Y}$$

If $Y_{C2 \text{ bottom in view value}}$ is equal to 0 or is a negative number, the component is in 100% full view within browser window 974.

5

To determine the X right side coordinate in view value of coordinate X_{C2} of target component 978, client side script performs function (6):

$$(6) \quad X_{C2 \text{ right in view value}} = X_{C2X} - X_{P2X}$$

10

If $X_{C2 \text{ right in view value}}$ is equal to 0 or is a negative number, the component is in 100% full view within browser window 974.

To determine the Y top coordinate in view value of coordinate Y_{C1} of target component 978, client side script performs function (7):

15

$$(7) \quad Y_{C1 \text{ top in view value}} = Y_{C1Y} - Y_{P1Y}$$

If $Y_{C1 \text{ top in view value}}$ is equal to 0 or is a positive number, the component is in 100% full view within browser window 974.

20

To determine the X left side coordinate in view value of coordinate X_{C1} of target component 978, client side script performs function (8):

25

$$(8) \quad X_{C1 \text{ left in view value}} = X_{C1X} - X_{P1X}$$

If $X_{C1 \text{ left in view value}}$ is equal to 0 or is a positive number, the component is in 100% full view within browser window 974.

As seen, the coordinates of the windows and components rendered in browser 974, are generated in relation to display 970, and the current position and size of

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

browser window 974. As previously mentioned, there are a number of different ways in which the coordinate information may be analyzed to determine whether target components are in view or not, and are not limited by the above exemplary procedures.

In addition, client side script may utilize the coordinate information to
5 determine the proportion of viewable components in relation to the web page 976. This may be done a variety of ways for each edge of the component, and may only be performed when it is determined using functions (5)-(8) that a portion of the component 978 is not in full view. For example, when determining the proportion of a component in view using the bottom coordinate of Web page 976, client side script
10 may perform the following functions:

$$(9) \quad Y_{\text{proportion-bottom}} = (Y_{P2Y} - Y_{C1Y}) / H_{\text{component}}$$

$Y_{\text{proportion-bottom}}$ shows the ratio of the viewable Y coordinate portion (or height)
15 of component 978 in relation to the total height of the component, for components bounded by the bottom coordinates of Web page 976.

$$(10) \quad Y_{\text{proportion-top}} = (Y_{C2Y} - Y_{P1Y}) / H_{\text{component}}$$

$Y_{\text{proportion-top}}$ shows the ratio of the viewable Y coordinate portion (or height) of
20 component 978 in relation to the total height of the component, for components bounded by the top coordinates of Web page 976.

$$(11) \quad X_{\text{proportion-right}} = (X_{P1X} - Y_{C1X}) / W_{\text{component}}$$

$X_{\text{proportion-right}}$ shows the ratio of the viewable X coordinate portion (or width) of
25 component 978 in relation to the total width of the component, for components bounded by the right side coordinates of Web page 976.

$$(12) \quad X_{\text{proportion-left}} = (X_{C1X} - Y_{P1X}) / W_{\text{component}}$$

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

$X_{\text{proportion-left}}$ shows the ratio of the viewable X coordinate portion (or width) of component 978 in relation to the total width of the component, for components bounded by the left side coordinates of Web page 976.

5 Functions (9)-(12) are ratio values, and may be converted into percentage values that may not exceed 100%.

Figure 9C shows an exemplary block diagram of display 970 illustrated in Figure 9B. In Figure 9C, Web page 976 has been scrolled down, thus moving target component 978 further "up" on display 970. For exemplary purposes, Figure 9C includes coordinate information associated with coordinates Y_{P1} , Y_{P2} , Y_{C1} , Y_{C2} , X_{P1} , X_{P2} , X_{C1} , X_{C2} . However to better illustrate the in view process, the following example will follow the same process as described for Figure 9B.

After the client side script recognizes that the Web page has been scrolled, commands are executed to perform the operations previously described for Figure 9B, such as:

15 $Y_{P1} = (100, 300)$, and using condition (C), it is determined that $X_{P1Y} = 300$;

Using known commands to collect the dimensions of Web page 976:

20 $W_{\text{browser}} = 400$;
 $H_{\text{browser}} = 600$;

Using functions (1) and (2):

25 (1) $Y_{P2Y} = 600 + 300 = 900$;
(2) $X_{P1X} = 400 + 100 = 500$;

Using conditions (A), (B) and (D), it is determined:

(A) $Y_{P2X} = Y_{P1X} = 100$;
(B) $X_{P2X} = X_{P1X} = 500$;

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

(D) $X_{P2Y} = Y_{P2Y} = 900;$

Collecting design information for component 978, it is determined that:

5 $Y_{C1} = (200,500)$

$H_{\text{component}} = 200;$

$W_{\text{component}} = 200;$

Using condition (G):

10

$X_{C1Y} = Y_{C1Y} = 500;$

Using functions (3) and (4):

15

(3) $Y_{C2Y} = 200 + 500 = 700;$

(4) $X_{C1X} = 200 + 200 = 400;$

Using conditions (D), (F) and (H):

20

(D) $Y_{C2X} = Y_{C1X} = 200;$

(F) $X_{C2X} = X_{C1X} = 400;$

(H) $X_{C2Y} = Y_{C2Y} = 700;$

25

Accordingly, all of the coordinates of component 978 have been calculated. To generate proportional in view information, client side script may perform functions (5)- (8) as follows:

(5) $Y_{C2 \text{ bottom in view value}} = Y_{C2Y} - Y_{P2Y} = 700 - 900 = -200;$

(6) $X_{C2 \text{ right in view value}} = X_{C2X} - X_{P2X} = 400 - 500 = -100;$

(7) $Y_{C1 \text{ top in view value}} = Y_{C1Y} - Y_{P1Y} = 500 - 300 = 200;$

(8) $X_{C1 \text{ left in view value}} = X_{C1X} - X_{P1X} = 200 - 100 = 100;$

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

Since functions (5) -(8) determine that component 978 is 100% in full view, proportional calculations do not need to be generated. However, if it is determined that a portion of component is not in view, the appropriate coordinate side would have a proportion calculation performed against it [i.e. functions (9)-(12)], to generate an in view percentage characteristic.

Accordingly, a number of different in view characteristic data may be generated using the coordinate information calculated by the client side script. In an alternate embodiment of the invention, client side script stores the coordinate information in data store 160, and when analytical program 112 receives this information, the above in view analysis may be performed at the Web server 110.

The in view data collected by the client side scripts may provide information such as data indicating whether content is actually viewable by respective users, mouse movements across a Web page, position of the Web page based on screen scrolling, length of time a mouse pointer is positioned in a determined location of the Web page, and a plurality of other "detailed" user behavior events associated with browsing. The potential for an enormous amount of user response data to be collected may be controlled by the programming of the client side script implemented by Web server 110. In other words, Web server 110 may be programmed to provide client side scripts that monitor general user response data, or numerous detailed user response data, depending upon the level of granularity of market analysis desired by the Web server.

Once a client side trigger event occurs in a respective client node 150 (Step S.550), the information accumulated in client side data store 160 is ready for transmission to data store 120 and Web server 110 for processing. The client side trigger event may be associated with a plurality of customized events, including but not limited to, the client side data store 160 being filled up to a threshold limit, the browser being closed, or a user selecting another Web page. The provider of Web server 110 may determine the types of client side trigger events they wish to operate with, and have them programmed into the present invention's monitoring script.

The event data is sent back to Web server 110 by executing a routine associated with a URL appended to the Web page served at the client node 150. The Web page

sent to the client node 150, includes a portion with a URL dedicated to the dynamic transmission of the collected data to Web server 110. The routine appends the collected user event data from the client data store 160, onto the dedicated URL. That portion of the Web page is dynamically reloaded, forcing the collected user event data to be sent to the Web server 110 (Step S.560). Upon receipt of the collected user event data, Web server 110 forwards it to data store 120 for storage. Thus, Web server 110 is continuously receiving user response data from each client node 150 being served by the Web server 110, giving the server continuous marketing information from which to base analysis of the content rendered to the client nodes 150.

Figure 6 is an exemplary flow chart of the analyze responses process described in Figure 2. The process begins when the collected user responses stored in data store 120 are accessed by Web server 110 (Step S.610). Analytical program 115 retrieves the collected user response data and initiates an analysis program including the analytical program rules received by analysis system 170 (Step S.620). Analytical program 115 determines whether the Web page rendered at each client node 150, with its associated content, needs adjustment based on the collected user response data. Analysis may include correlating predetermined threshold values with the user response data. That is, if the user response data indicates that particular content was viewable to a user for a certain amount of time, based on the in-view features of the user response collection operations performed by the client side scripts, that may indicate the user was viewing the content for that certain time frame. Accordingly, a threshold value associated with particular content, and the amount of time it was viewable, may be incorporated into the analytical program rules programmed into analytical program 115. Analytical processing may include comparing the threshold value with the collected user response data to make a determination whether the content or rules stored in data store 130 need adjustment. The correlation processing performed by analytical program 115 may be associated with a plurality of user events, such as link selections, scrolling, maximizing/minimizing windows. Analytical program 115 processes the results of the analyzed user response data, and updates the content rules, and/or content stored in data store 130, automatically.

As previously mentioned, a multitude of combinations of analytical program

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

determines whether automatic lift of the rendered content should occur, based upon the analyzed user response data, and information associated with the user located at client node 150 (Step S.640). Middleware program 112 applies the updated rules to the content if it is determined that a lift of the rendered content its needed.

5 Accordingly, Web server 110 may automatically adjust content rendered on the Web page previously rendered at client nodes 150. A provider controlling the Web server 110 may test the success of certain content or content rules on a customized and dynamic basis. That is, the provider of Web server 110 may program middleware program 112 to adjust the content to test new changes in attributes, or entirely new
10 content, on an automatic basis using the content rules stored in data store 130 and the results of analytical program 115.

Once middleware program 112 analyzes the results of analytical program 115, and applies the rules stored in data store 130 to the content, the Web page is updated and Web server 110 serves the updated page to client nodes 150 requesting the page
15 after analysis and modification of the page have been completed.

For example, consider users located at client nodes 150, viewing the Web page 400 shown in Figure 4C. Systems, methods and articles of manufacture consistent with the present invention would enable the system to monitor the users' behavior associated with Web page 400, collecting detailed information about the users'
20 activities. In this case, assume a plurality of users viewing Web page 400 shown in Figure 4C, "clicks-through" on one of the links displayed on the left hand side of Web page 400, under PRODUCTS within ten seconds of Web page being rendered on the users' client node 150. The activities of the users selecting the PRODUCTS link is stored in each respective client side data store 160. Once the users have selected a link
25 on Web page 400, a client side trigger event was initiated (defined for this example), and the collected user information, along with the collected rules and content information, is sent to Web server 110, and subsequently stored in data store 120.

Assume for this example, that the amount of time third version 440 was displayed was a criteria for analysis defined in the analytical program rules executed by analytical program 115. In the above example, the plurality of users monitored did not satisfy predefined conditions for a successful rendering of the third version 440,

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

program 115 enable the server to automatically adjust served content based on responses from users, in a "real-time" and "hands-free" closed loop operation. This type of operation is an advantage over conventional Web-based marketing techniques that require either drastic or time consuming analysis and manual adjustments to rendered content.

In an alternate embodiment of the invention, the detailed user monitoring and collection implementations performed by methods, systems and articles of manufacture consistent with the present invention may be applied to advertisement and content billing management. Figure 7 is a flow chart of a content marketing process associated with the in-view features performed by Web server 110, in accordance with another aspect of the invention. In accordance with this aspect of the invention, Web server 110 may receive content from third party entities 180 to be included in a rendered Web page by Web server 110. The content received may include content as previously described, including advertisement objects. In one embodiment of the invention, third party entities 180 may provide Web server 110 with an identifier, such as a URL, to be included in a rendered Web page instead of content. In this embodiment, third party entities 180 control the type of content to be included in a rendered Web page, by enabling the URL to link to the third party entity 180 where the content is created and sent to Web server 110.

Third party entities 180 may incorporate Web server 110's services by sending requests to Web server 110 for including third party content into a Web page provided by Web server 110 (Step S.710). In another embodiment, third party entities 180 may contact the provider of Web server 110 in order to incorporate the services provided by Web server 110. Third party entities 180 may communicate with the provider of Web server 110 using any known communications means available in the art, such as telephonic communications, electronic mail and postal services. In any event, the provider of Web server 110 is made aware of the services desired by third party entities 180 either through network 140, or through some other means, as mentioned above.

Once a request is received, Web server 110 sets-up a billing account for each third party entity 180 that sent a request (Step S.720). A billing account may describe

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

party entity 180, an option for enrolling in a content effectiveness service is provided by Web server 110, and billing program 113 (Step S.730). A content effectiveness plan (CEP) allows Web server 110 to provide third party entities proposed information on the effectiveness of the third party content, based on the analysis performed by analytical program 115. That is, Web server 110 may generate a report including proposed statistical information regarding the results of the analytical program 115 directed toward the third party content included in a rendered Web page. For a predetermined fee, third party entities 180 may benefit from the automatic analysis features performed by Web server 110, by receiving detailed reports regarding the activities associated with the content they provided for rendering to Web server 110. For example, Web server 110 may send a third party entity 180, enrolled in the CEP, a report depicting user activity associated with their provided content, and provide suggested changes to the content based on analysis performed by the analytical program 115. Such changes may include changing the color, font, multimedia features, position and any other modifications that may result in increased activity for the rendered content.

Once a third party entity agrees to enroll in a CEP, a plan is set up (Step S.740) by Web server 110. Upon completion of CEP set-up or a third party entity 180 decides not to enroll in a CEP, the third party entity 180 sends content to be rendered to Web server 110, and it is stored in data store 130 (Step S.750). Web server 110 may create billing accounts from a plurality of third party entities, and incorporate content from the plurality of third party entities into a Web page. Web server 110 generates a predetermined Web page, retrieves the third party content stored in data store 130, along with other content it will include in the page, and serves the Web page to the client nodes 150 requesting the page (Step S.760). In another embodiment, as described previously, the content provided by a third party entity 180 may be a URL that links back to the respective third party entity 180, where the desired content is provided to Web server 110. As described previously, client nodes 150 monitor and collect detailed user activity in client side data store 160, including the in-view activities. Upon encountering a client side trigger event, client nodes 150 send the collected user response data to Web server 110 for storage into data store 120 (Step

002160-56109950

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

S.770).

Figure 8 is a flow chart of a content marketing and billing process associated with the in-view features performed by Web server 110, in accordance with another aspect of the invention. Once Web server 110 has received the collected user responses, analytical program 115 retrieves the collected information for analysis (Step S.810), as described above with reference to Figure 6. However, in accordance with an aspect of the invention, Web server 110 recognizes when third party content was included in the rendered Web page and in response to this determination performs additional in-view analysis specifically for the third party content. This analysis includes determining the in-view characteristics of each third party content (Step S.820). That is, analytical program 115 may determine the number of times each third party content was in-view or partially in-view on each rendering of the Web page. Utilizing the results of the in-view analysis performed by analytical program 115, billing program 113 generates a billing record associated with each third party entity 180 (Step S.830). The billing record includes billing account information on the types of fees charged to each respective third party entity based on the billing account set up by the third party entity 180.

Once a billing record has been generated, Web server 110 determines whether a third party entity is enrolled in a CEP (Step S.840), and if so a content effectiveness record (CER) is created and appended to the billing record (Step S.850). A content effectiveness record is a record that includes the content effectiveness report described earlier with reference to Figure 7. Analytical program 115 analyzes the in-view user response data, along with the other user response data collected and stored in data store 120, to generate proposed modifications to the third party content, just as content and content rules are modified with respect to the operations described in Figure 6. Billing program 113 utilizes the results from this analysis and generates the CER. The CER may also include the collected user event data associated with the third party content. This may be provided in a table or list indicating an aggregated number of user responses associated with predetermined activity fields. For example, in one embodiment, a CER for a third party entity having three versions of a content included in the Web page may include user activity data, as shown in Table 3.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

[illegible]5

15

25

party entity the changes implemented by the Web server, and the results of the changes based on the analysis by the analytical program 112.

As described, methods, systems and articles of manufacture consistent with the present invention enable a Web server the tools to provide Web content provision for third party entities while incorporating a detailed, equitable and attractive billing process that ensure the third party entities are delivered services they pay fees for. In addition to customized content billing, methods, systems and articles of manufacture consistent with the present invention also provide the third party entities proposed effectiveness reports and suggestions for increasing the effectiveness of the third party content rendered by the Web server. Thus, third party entities may utilize the advantages of the analysis performed by methods, systems and articles of manufacture consistent with the present invention to adjust the third party content to better target users.

The foregoing description of an implementation of the invention has been presented for purposes of illustration and description. It is not exhaustive and does not limit the invention to the precise form disclosed. Modifications and variations are possible in light of the above teachings or may be acquired from practicing of the invention. For example, the described implementation includes software but the present invention may be implemented as a combination of hardware and software or in hardware alone. The invention may be implemented with both object-oriented and non-object-oriented programming systems. Additionally, although aspects of the present invention are described as being stored in memory, one skilled in the art will appreciate that these aspects can also be stored on other types of computer-readable media, such as secondary storage devices, like hard disks, floppy disks, or CD-ROM; a carrier wave from the Internet or other propagation medium; or other forms of RAM or ROM. The scope of the invention is defined by the claims and their equivalents.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000